


Upper Flint Council Summary: Wastewater (mgd)

County	2050 Point Discharge Flow	2050 LAS Flow	2050 Subsurface Flow	2050 Septic Flow	2050 Total Wastewater
Crisp	3.22	0.00	0.00	0.89	4.11
Dooly	0.06	1.35	0.00	0.47	1.88
Macon	0.82	0.00	0.00	0.46	1.28
Marion	0.20	0.00	0.00	0.39	0.59
Meriwether	0.19	0.42	0.00	1.07	1.68
Pike	0.08	0.10	0.00	1.46	1.64
Schley	0.32	0.00	0.00	0.75	1.06
Spalding	2.08	2.07	0.00	4.63	8.79
Sumter	1.76	0.00	0.00	0.62	2.38
Talbot	0.04	0.00	0.00	0.27	0.30
Taylor	0.12	0.13	0.00	0.25	0.50
Upson	1.67	0.00	0.00	1.15	2.83
Webster	0.00	0.00	0.00	0.11	0.11
TOTAL	10.58	4.08	0.00	12.50	27.17



Crisp County


WASTEWATER FLOW FORECASTS



Dooly County

WASTEWATER FLOW FORECASTS


Dooly County



Macon County


WASTEWATER FLOW FORECASTS

Macon County




Marion County

WASTEWATER FLOW FORECASTS



Meriwether County


WASTEWATER FLOW FORECASTS



Pike County


WASTEWATER FLOW FORECASTS

Pike County




Schley County

WASTEWATER FLOW FORECASTS



Spalding County


WASTEWATER FLOW FORECASTS



Sumter County


WASTEWATER FLOW FORECASTS

Sumter County



Talbot County


WASTEWATER FLOW FORECASTS



Taylor County


WASTEWATER FLOW FORECASTS

Taylor County



Upson County

WASTEWATER FLOW FORECASTS



Webster County

WASTEWATER FLOW FORECASTS

